

		Page: 1
SAFETY DATA SHEET		Revision Date: 05/28/2026
		Print Date: 09/23/2026
		SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS		Version: 1.2
892180		

SECTION 1. IDENTIFICATION

Product identifier

Trade name : POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Pesticide

Biocides

PCPA Reg. # **Biocides**

PCPA Reg. # 35600

Details of the supplier of the safety data sheet Solenis Canada ULC 1151 GREEN VALLEY RD LONDON ON N6N 1E4 Canada HazardCommunication@solenis.com	Emergency telephone 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	---

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing solids : Category 2

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1B

Serious eye damage : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal Word : Danger

	Page: 2
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

Hazard Statements : H272 May intensify fire; oxidizer.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H335 May cause respiratory irritation.

Precautionary Statements : **Prevention:**
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P220 Keep away from clothing and other combustible materials.
 P260 Do not breathe dust.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
 P363 Wash contaminated clothing before reuse.
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

		Page: 3
SAFETY DATA SHEET		Revision Date: 05/28/2026
		Print Date: 09/23/2026
		SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS		Version: 1.2
892180		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
CALCIUM HYPOCHLORITE	7778-54-3	$\geq 50 - < 60$
CALCIUM HYDROXIDE	1305-62-0	$\geq 10 - < 15$
CALCIUM CARBONATE	471-34-1	$\geq 1.5 - < 5$
CALCIUM CHLORIDE	10043-52-4	$\geq 1.5 - < 5$

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Move to fresh air. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If on skin, rinse well with water. Wash contaminated clothing before re-use. If on clothes, remove clothes.
In case of eye contact	: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye.
If swallowed	: Get medical attention immediately. Do NOT induce vomiting. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms	: No symptoms known or expected.

	Page: 4
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

and effects, both acute and delayed

Harmful if swallowed.
 Causes serious eye damage.
 May cause respiratory irritation.
 Causes severe burns.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Carbon dioxide (CO2)
 Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : In solution form, this material will react with zinc (galvanizing) to yield hydrogen gas which is explosive.
 Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
 Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Chlorine
 halogenated hydrocarbons
 hydrogen chloride
 Sodium oxides
 calcium oxide
 Oxides of phosphorus
 Carbon monoxide
 Carbon dioxide (CO2)
 chloride fumes

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
 Use a water spray to cool fully closed containers.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

	Page: 5
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Keep away from combustible material.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid dust formation.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapors/dust.
Do not smoke.
Container hazardous when empty.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

		Page: 6
SAFETY DATA SHEET		Revision Date: 05/28/2026
		Print Date: 09/23/2026
		SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS		Version: 1.2
892180		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
CALCIUM HYDROXIDE	1305-62-0	TWA	5 mg/m3	CA AB OEL
		TWA	5 mg/m3	CA BC OEL
		TWAEV	5 mg/m3	CA QC OEL
CALCIUM CARBONATE	471-34-1	TWAEV (total dust)	10 mg/m3	CA QC OEL
		TWA	10 mg/m3 (Calcium carbonate)	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		STEL	20 mg/m3	CA BC OEL
CALCIUM CHLORIDE	10043-52-4	TWA	5 mg/m3	CA ON OEL

Appropriate engineering controls : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Dust safety masks are recommended when the dust concentration is more than 10 mg/m3.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Safety glasses

	Page: 7
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

Skin and body protection : Wear as appropriate:
 Chemical resistant apron
 Safety shoes
 Flame-resistant clothing
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Wear resistant gloves (consult your safety equipment supplier).
 Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Avoid breathing dust.
 Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 Ensure that eyewash stations and safety showers are close to the workstation location.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

	Page: 8
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

Relative density : No data available

Density : 1.78 g/ml

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

Particle characteristics

Particle size : No data available

Particle Size Distribution : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : Avoid heat, open flame, and prolonged storage at elevated temperatures.
excessive heat
Exposure to moisture.

Keep away from heat, flame, sparks and other ignition sources.

Incompatible materials : Acids
ammonium salts
aluminum salts
brass
Combustible material

	Page: 9
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

ferrous metals
 Fluorine
 maleic anhydride
 methyl vinyl ether
 Mild steel
 nitroparaffins
 nitropropane
 Organic materials
 Phosphorus
 Reducing agents
 sodium
 Strong oxidizing agents
 Zinc

Hazardous decomposition products : Chlorine
 Halogenated compounds
 Hydrogen chloride gas
 Sodium oxides
 calcium oxide
 Oxides of phosphorus
 Carbon monoxide
 Carbon dioxide (CO₂)
 chloride fumes

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Components:

CALCIUM HYPOCHLORITE:

Acute oral toxicity : LD50 (Rat): 850 mg/kg
 Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.
 Acute dermal toxicity : LD50 (Rabbit): > 2 g/kg

CALCIUM HYDROXIDE:

Acute inhalation toxicity : Remarks: Corrosive to respiratory system.

CALCIUM CARBONATE:

Acute oral toxicity : LD50 (Rat): 6,450 mg/kg
 Acute inhalation toxicity : LC 50 (Rat): > 3 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: Not classified as acutely toxic by inhalation under GHS.

	Page: 10
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

Remarks: Aerosol

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Method: OECD Test Guideline 402
 Assessment: The substance or mixture has no acute dermal toxicity

CALCIUM CHLORIDE:

Acute oral toxicity : LD50 (Rat): 2,301 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Causes severe skin burns and eye damage.

Components:

CALCIUM HYPOCHLORITE:

Result : Corrosive after 3 minutes to 1 hour of exposure

CALCIUM HYDROXIDE:

Result : Irritating to skin

CALCIUM CARBONATE:

Result : Not irritating to skin

CALCIUM CHLORIDE:

Result : Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

CALCIUM HYPOCHLORITE:

Result : Corrosive to eyes

CALCIUM HYDROXIDE:

Result : Corrosive to eyes

		Page: 11
SAFETY DATA SHEET		Revision Date: 05/28/2026
		Print Date: 09/23/2026
		SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180		Version: 1.2

CALCIUM CARBONATE:

Result : Not irritating to eyes

CALCIUM CHLORIDE:

Result : Severely irritating to eyes

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.

Components:

CALCIUM HYPOCHLORITE:

Assessment : May cause respiratory irritation.

CALCIUM HYDROXIDE:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

	Page: 12
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

CALCIUM HYPOCHLORITE:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.049 - 0.16 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.067 mg/l
Exposure time: 48 h

CALCIUM CARBONATE:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): > 56,000 mg/l
Exposure time: 96 h
Test Type: static test

CALCIUM CHLORIDE:

Toxicity to fish : LC50 (Bluegill (Lepomis macrochirus)): 9,500 mg/l
Exposure time: 96 h
Method: Static
Remarks: Mortality

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Water flea (Ceriodaphnia dubia)): 1,770 - 2,030 mg/l
Exposure time: 48 h
Method: Static
Remarks: Mortality

Persistence and degradability

Components:

CALCIUM HYPOCHLORITE:

Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

CALCIUM HYDROXIDE:

Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

CALCIUM CHLORIDE:

Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

No data available

	Page: 13
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Dispose of in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

- UN number : UN 2880
 Proper shipping name : Calcium hypochlorite, hydrated mixture
 Class : 5.1
 Packing group : III
 Packing instruction (cargo aircraft) : 563
 Packing instruction (passenger aircraft) : 559

IMDG-Code

- UN number : UN 2880
 Proper shipping name : CALCIUM HYPOCHLORITE, HYDRATED MIXTURE
 Class : 5.1
 Packing group : III
 EmS Code : F-H, S-Q
 Marine pollutant : yes

		Page: 14
SAFETY DATA SHEET		Revision Date: 05/28/2026
		Print Date: 09/23/2026
		SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS		Version: 1.2
892180		

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 2880
 Proper shipping name : CALCIUM HYPOCHLORITE, HYDRATED MIXTURE
 Class : 5.1
 Packing group : III
 ERG Code : 140
 Marine pollutant : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
 TSCA : All substances listed as active on the TSCA inventory
 AIIC : On the inventory, or in compliance with the inventory
 CA. DSL : All components of this product are on the Canadian DSL
 ENCS : On the inventory, or in compliance with the inventory
 KECI : Not in compliance with the inventory
 PICCS : On the inventory, or in compliance with the inventory
 IECSC : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

Biocides

PCPA Reg. #

PCPA Reg. # 35600

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product. This chemical is a pest control product registered by Health Canada Pesticides Regulatory Directorate and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and

		Page: 15
SAFETY DATA SHEET		Revision Date: 05/28/2026
		Print Date: 09/23/2026
		SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS		Version: 1.2
892180		

hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: , Warning Poison symbol, WARNING!, Danger Corrosive symbol, Danger - corrosive to eyes and skin., There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 05/28/2026

Full text of other abbreviations

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL : Canada. British Columbia OEL
CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA BC OEL / STEL : short-term exposure limit
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines

	Page: 16
SAFETY DATA SHEET	Revision Date: 05/28/2026
	Print Date: 09/23/2026
	SDS Number: R1601195
POOL BREEZE OPTIMIGHT CAL HYPO CHLORINE TABLETS 892180	Version: 1.2

Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

CA / EN